

With over 6,200 products & 600 brands, Brooks offers the most extensive line of fire safety and industrial life safety products in the industry—period.

→ NEW

Tough As The Job You Do



2500L

Now those who work emergency, rescue, construction, and other extreme jobs have one less thing to worry about—their hands. With the help of **Kevlar®** and **Kepratec®**, the **ProFlex® FIRE & RESCUE PERFORMANCE GLOVES**, from **Ergodyne®**, can be used for extrication rescues and other jobs that push the limits of endurance. Plus they're PVC-reinforced at the fingertip gripping zones to retain a tighter hold, while EVA padding cuts down on shock and impact to the hands. Stretch spandex shell makes for a comfortable fit. Lime/Black.

P/N	DESCRIPTION	SIZE
2500S	Performance Fire & Rescue Gloves	S
2500M	Performance Fire & Rescue Gloves	M
2500L	Performance Fire & Rescue Gloves	L
2500XL	Performance Fire & Rescue Gloves	XL



5227L

PROTECTIVE GEAR

These premium **STRUCTURAL FIRE FIGHTING GLOVES**, from **Shelby**, are made from heavy-weight, fire-retardant, and heat-resistant midnight blue **Koala®** tanned cowhide for maximum performance under any conditions. They're also sewn with **Kevlar®** thread to hold things together. Inside, there's a fleece liner as well as **Gore** glove barrier fabric and **Nomex®** wristlets to keep things thermally stable. A gunn cut pattern with a wing thumb and wraparound index finger is standard too. Plus every pair features **Shelby FDP™** ("Fit + Durability = Performance"). Meets NFPA 1971–2007 standards.

P/N	DESCRIPTION	SIZE
5227S	Structural Fire Fighting Gloves w/ Wristlets	S
5227M	Structural Fire Fighting Gloves w/ Wristlets	M
5227L	Structural Fire Fighting Gloves w/ Wristlets	L
5227XL	Structural Fire Fighting Gloves w/ Wristlets	XL
5228GFDP	Structural Fire Fighting Gloves w/ Gauntlets	S
5228GFDP	Structural Fire Fighting Gloves w/ Gauntlets	M
5228GFDP	Structural Fire Fighting Gloves w/ Gauntlets	L
5228GFDP	Structural Fire Fighting Gloves w/ Gauntlets	XL



5228GFDP



5009XL

For quality, and economy, try **Shelby STRUCTURAL FIRE FIGHTING GLOVES**. They're made from wash-and-wear tan pigskin for extra toughness. And they're gunn cut with seamless palms, wing thumbs, and come with **Nomex®** wristlets for extra flame resistance. Meets CAL and Federal OSHA requirements.

P/N	DESCRIPTION	SIZE
5009S	Structural Fire Fighting Gloves	S
5009M	Structural Fire Fighting Gloves	M
5009L	Structural Fire Fighting Gloves	L
5009XL	Structural Fire Fighting Gloves	XL



From **Bullard®**, one of the biggest names in **FIRE FIGHTING HELMETS**, comes the **Firedome®**—life saving thermoplastic head protection for optimum impact and penetration resistance. They're very reliable under repeated heat exposure, and every helmet comes standard with the **Sure-Lock®** ratchet headband suspension for easy adjustment and superior comfort. Optically correct face shields are standard as well. Yellow. Certified to NFPA 1971 Standard on Protective Ensemble for Structural Fire Fighting, 2007 Edition.

P/N	DESCRIPTION
PXY	Thermoplastic Fire Helmet



PXY

The **King Cobra™ FIRE FIGHTING HOOD**, from **PGI**, is the top pick by fire fighting professionals because it offers serious protection without sacrificing comfort. The hood accomplishes this by blending **Nomex®/Lenzing FR™** for superior flame and heat resistance with a **Comfort-Plus™** liner for unbeatable breathability, comfort, and moisture wicking properties. Flat stitched seams won't bunch or dig into your skin either. There's also an extra-heavyweight elastic face opening that stretches to a full 16" for easy donning and a snug fit—with or without an **SCBA** mask. Coverage extends to lower neck. UL classified to meet or exceed NFPA 1971 thru current edition. One size. White.

P/N	DESCRIPTION
BZ33	Fire Fighting Hood



BZ33

Strike Team GOGGLES are designed with wildland fire fighting and technical rescue operations in mind, but they are an ideal choice for numerous other situations requiring dependable eye protection. They come with tons of premium features, too—**Speed-Clip™** quick strap adjustment, face padding, and replaceable lenses with tear-off covers. And speaking of lenses, they're virtually indestructible, thanks to polycarbonate construction. They're also fog-free with full-filter ventilation. Goggles will fit over most eyeglasses and are ANSI Z87.1+ and NFPA 1500 compliant.

P/N	DESCRIPTION
ESS1	Black Frame, Clear Lens Model ESS01CB



ESS1

Be ready for any low-light situation with **Ergodyne's® HI-VIS GLOWEAR® PUBLIC SAFETY VESTS**. These vests feature a two-tone, five-point breakaway design with Level 2 ANSI-certified tape set on a 4 1/2" contrasting color background. There is one multi-division pocket on the inside and radio tabs/holders. Used for operations at local, State and Federal levels, **GloWear®** safety vests help quickly identify people working in emergency response. ANSI 207-2006 compliant. Lime.

P/N	DESCRIPTION	SIZE
PSV1	8245PSV Public Safety Vest	L - XL
PSV2	8245PSV Public Safety Vest	2XL - 3XL
PSV3	8245PSV Public Safety Vest	4XL - 5XL



PSV1 (Front)



A Step Up In Quality



LBB10

Ranger® 16" BUNKER BOOTS serves up some of the finest features you'll find anywhere. These non-insulated boots help you step into a whole new world of comfort and performance with wool felt midsoles and linings. Made from rugged waterproof rubber, every pair comes with steel bottom plate, toes, and shank, plus reinforced heels for maximum protection. Also available in men's wide widths. NFPA 1971–2007 and 1992–2005 compliant.

P/N	DESCRIPTION	SIZE	EACH
LBB5	16" Non-Insulated Boots	5 Medium	
LBB6	16" Non-Insulated Boots	6 Medium	
LBB7	16" Non-Insulated Boots	7 Medium	
LBB75	16" Non-Insulated Boots	7½ Medium	
LBB8	16" Non-Insulated Boots	8 Medium	
LBB85	16" Non-Insulated Boots	8½ Medium	
LBB9	16" Non-Insulated Boots	9 Medium	
LBB95	16" Non-Insulated Boots	9½ Medium	
LBB10	16" Non-Insulated Boots	10 Medium	
LBB105	16" Non-Insulated Boots	10½ Medium	
LBB11	16" Non-Insulated Boots	11 Medium	
LBB115	16" Non-Insulated Boots	11½ Medium	
LBB12	16" Non-Insulated Boots	12 Medium	
LBB125	16" Non-Insulated Boots	12½ Medium	
LBB13	16" Non-Insulated Boots	13 Medium	
LBB14	16" Non-Insulated Boots	14 Medium	
LBB15	16" Non-Insulated Boots	15 Medium	



HBS



LGB

ACCESSORIES

P/N	DESCRIPTION
HBS	Fully Adjustable, Red "H" Back Suspenders
LGB	Firefighter's Gear Bag, Coated 1,000-Denier Nylon, 27"L x 18"H x 12"W

PUBLIC SAFETY LIGHTING

Streamlight's® KEY-MATE® is big on power (10 lumens), thanks to its high-intensity LED that lasts 100,000 hours. Its anodized-aluminum casing is virtually indestructible. Four high-capacity alkaline button cell batteries (included) power it up for 96 hours. Measures 2⅓".

P/N	DESCRIPTION
SL72001	Key-Mate Flashlight, 2⅓", Black
SL72030	Key-Mate Replacement Batteries, Pkg/4



SL72001



73001SL

Truly tiny, a "small wonder", **Streamlight's® NANO LIGHT®** is an extremely small and super-bright light. Less than two inches tall and made from aircraft aluminum, **Nano** provides up to eight hours of run time with a 100,000-hour white LED. Flashlight uses four coin cells (included) and comes with a clip to attach it to a key chain, a tool belt, and more. Measures 1½".

P/N	DESCRIPTION
73001SL	Nano Light Flashlight, Black



This **OUTDOOR HEADLIGHT**, from **Energizer®**, features a bright white LED (40 lumens) and red LED for night vision, supplying 360° of superior illumination for any adventure. Large separate push buttons make this light easy to use, and its rugged construction meets the demand of varying outdoor conditions. Light is water-resistant and comes with attachment clip. Powered by one AA battery (included).

P/N	DESCRIPTION
ECAP1AA	Outdoor Headlight w/Clip, Green/Black
ALK91	Replacement AA Battery

SEE PAGE 197



ECAP1AA

Litebox® and **Vulcan® LANTERNS**, from **Streamlight®**, feature sealed-beam systems with halogen or xenon bulbs. They're constructed of ABS thermoplastic with rubberized impact bumpers, lens rings, and cushioned grip handles for extra toughness. **Power Failure Systems** standard too. Lanterns come with 8W spots and 80,000 candlepower.

P/N	DESCRIPTION
SL45116	Litebox Standard System Flashlight, 11½"L x 7"H x 5⅛"W, Orange/Black Includes: 120V AC, 12V DC Chargers, Shoulder Strap & Mounting Rack
SL44000	Vulcan Standard System Flashlight, 7½"L x 6½"H x 5"W, Yellow/Black (FM) Includes: 120V AC, 12V DC Chargers, Shoulder Strap & Charging Rack
SL44001	Vulcan Vehicle Mount System Flashlight, 7½"L x 6½"H x 5"W, Yellow/Black (FM) Includes: Truck-Mountable 12V DC Direct Wire Charging Rack & Shoulder Strap
PRB612	6V, 12A Battery for SL45116
S45901	8W Bi-Pin Bulb (100 hr)
45911	8W Spot Lamp Assembly for Litebox

SEE PAGE 143



ECAP1AA In Use



SL45116

Streamlight's® 4AA Propolymer FLASHLIGHTS are waterproof, tough, and dependable, and they won't cost you an arm and a leg. These non-conductive flashlights also feature super-bright LEDs (67 lumens) as well as non-slip grips and tough polymer cases. They also incorporate helmet clamps (sold separately) for hands-free operation and use four AA-cell alkaline batteries (included). Flashlight measures Measures 6½".

P/N	DESCRIPTION
SL68202	4AA LED Flashlight, Yellow/Black
ALK91	Replacement AA Battery

SEE PAGE 197



SL44001



SL68202





SL65018

Here's a good reason to wear shirts with pockets, **Streamlight® Stylus® PEN LIGHTS**. Besides conveniently clipping to things like your shirt pocket, they produce 11 lumens of powerful white light when needed. Each pen light features a 100,000-hour LED that you can switch from constant-on to momentary blink with the click of a button. And with a knurled anodized aluminum body and pocket clip, they're easy to hang on to. They're also water-resistant and use three AAAA-cell batteries (included). Both lights are CE approved. Black.

P/N	DESCRIPTION
SL65018	Pen Light, 6 ¹ / ₄ " Long
SL65618	Reach Pen Light, 14 ⁿ (Extended), 6 ³ / ₄ " (Retracted)
SL65030	Replacement AAAA Batteries, Pkg/6



SL65618

The lightweight, versatile, and comfortable **3 LED HEADLIGHT**, from **Energizer®**, is perfect for work that requires free hands. With its swivel and tilt adjustment, it puts light where you need it. Choose white flood or night-vision red for the best illumination without changing lights. Mounts securely and can be comfortably worn around the head for long periods of time. Three AAA-cell **Max®** batteries included.

P/N	DESCRIPTION
HD33A1	3 LED Headlight, Black/Gray/Blue
ALK92	AAA Alkaline Battery

SEE PAGE 197



HD33A1



SL61049

For the ultimate in convenience, safety, and dependability, choose **Streamlight's®** hands-free **Trident®** or **Enduro™ HEADLAMPS**. The **Trident** combines a super-bright xenon bulb (12 lumens) with three LEDs (24 lumens), providing three-way lighting for short, medium, and long distances. It also offers spot-to-flood focus. The **Enduro** is not to be outdone with its super-bright .5W LED (14.5 lumens) and high/low beam modes. All headlamps are water-resistant with scratch-resistant polycarbonate bodies and lenses. Plus each features an adjustable elastic head strap for maximum comfort. **Trident** headlamp is UL listed.

P/N	DESCRIPTION
SL61049	Trident Headlamp, Red/Black/Yellow Includes: (3) AAA-Cell Alkaline Batteries
SL61400	Enduro Headlamp, Black Includes: (2) AAA-Cell Alkaline Batteries
ALK92	Replacement AAA Battery

SEE PAGE 197



SL61400

 For Replacement Batteries, See Section 10.



Energizer® Ultimate® LITHIUM METAL FLASHLIGHTS are extremely dependable in extreme circumstances. Waterproof and made of machined aircraft aluminum, these flashlights have a wealth of high-tech features. Advanced circuitry and pushbutton tail-switch allow for variable brightness control and pulse-width modulation maximize battery life. The shatterproof lens is coated for superior hardness and weathering resistance. Also includes a sturdy belt clip, comfortable hand grip, and automatic 30-minute shutoff.

Gunmetal Gray.

P/N	DESCRIPTION
ELMCL11L	Ultimate 1AA Metal Flashlight
ELMCL21L	Ultimate 2AA Metal Flashlight
L91BP4	Ultimate Lithium AA Batteries, Pkg/4



ELMCL11L

In a class by itself, the **Stinger® FLASHLIGHT**, from **Streamlight®**, sets the standard by which all other flashlights are judged. To start with, it is virtually indestructible, making it ideal for routine use in any environment. It also possesses potent power, thanks to its 3.6V, 1.8AH battery (rechargeable up to 1,000 times) and its xenon bi-pin bulb (providing 11,000 candlepower). Other features include an anodized aluminum housing, polycarbonate lens, and a spare xenon bulb in the tail cap. Each flashlight weighs 10 ounces, measures 7¹/₃" in length, and provides one hour of continuous use between charges.

P/N	DESCRIPTION
SL75014	Stinger Flashlight w/ AC/DC Charger, Black
SL75175	Replacement Battery for SL75014



SL75014

WARNING TAPES

Our quality selection of **BARRICADE TAPE** is made of 2.5 mil polyethylene and comes in 3" x 1,000' rolls for easy handling and storage. It can be tied, stapled, or nailed in place to secure sensitive areas and warn of physical hazards or dangerous situations. Yellow.

P/N	DESCRIPTION
SLYFL	"Fire Line Do Not Cross"
SLYPL	"Police Line Do Not Cross"
TH1000	Tape Holder
TH42003	Barricade Tape Dispenser



SLYFL

For Additional Warning Tapes, See Section 5.

MUNICIPAL FIRE HOSE AND FITTINGS

Get the ultimate in high-performance with municipal-grade fire hose from **Brooks**. These durable **DOUBLE JACKET** and **YELLOW HYPALON FIRE HOSES** are constructed of 100% high-tensile-strength polyester yarns—both warp and filler—and lined with a high-tech E.P.D.M. tube, so they weigh less but last longer. NST aluminum coupled.

P/N	DESCRIPTION	BOWL SIZE	WEIGHT COUPLED	E
DJ50ANST	Double Jacket, 50' x 1 ¹ / ₂ "	1 ¹⁵ / ₁₆ "	18 lbs	
DJ2550ANST	Double Jacket, 50' x 2 ¹ / ₂ "	3"	34 lbs	
DJ50YHANST	Yellow Hypalon, 50' x 1 ¹ / ₂ "	1 ¹⁵ / ₁₆ "	21 lbs	
DJ2550YHANST	Yellow Hypalon, 50' x 2 ¹ / ₂ "	3"	39 lbs	



TH1000



TH42003



DJ50ANST






FH150ANST

For all of your **FORESTRY HOSE** needs, look to **Brooks**. Our selection of lightweight hose meets USDA-US Forest Service Specifications and features a burst pressure of 900 psi, an acceptance test pressure of 600 psi, and a service test pressure of 300 psi. NST aluminum coupled.

P/N	DESCRIPTION	BOWL SIZE	WEIGHT COUPLED	EACH
FH150ANST	50' x 1" Alum	1 ¹ / ₄ "	7 lbs	
FH1100ANST	100' x 1" Alum	1 ¹ / ₄ "	11 lbs	
HS01	Hose Tote Strap System			



HS01

Designed for structural, vehicle, grass, and forestry fire fighting, our line of **BOOSTER HOSE** can't be beat for quality and performance. Its outer jacket is constructed of a specially compounded red neoprene that resists abrasion, ultraviolet light, ozone, and most petrochemicals. It also has two braids of high-tensile rayon yarn for extra strength and a smooth Black SBR rubber tube for seamless flows. Each length has a burst pressure of 1,200 psi, an acceptance test pressure of 800 psi, and a service test pressure of 400 psi. NST aluminum coupled. Meets NFPA.

P/N	DESCRIPTION	BOWL SIZE	WEIGHT COUPLED
BH150ANST	50' x 1"	1 ⁹ / ₁₆ "	31 lbs
BH1100ANST	100' x 1"	1 ⁹ / ₁₆ "	60 lbs



BH150ANST



CG25



HH26

For Additional Hose Options, See Section 3.

Our selection of **HYDRAULIC TEST EQUIPMENT** features a variety of highly engineered products and instruments to handle your calculation needs. The **Inline** and **Cap Gauges** are easy to attach to hydrants, valves, etc. and provide a quick check of water pressure. The handheld **Pitot Gauge** and **Hydrant Test Kit** offer convenient methods of checking straight tip nozzle and hydrant pressures quickly and accurately.

P/N	DESCRIPTION
CG25	Cap Gauge (0–300 psi), 2 ¹ / ₂ " NST
LG25	Inline Gauge (0–300 psi), 2 ¹ / ₂ " NST
HH26	Pitot Gauge (0–160 psi)
HK25	Hydrant Test Kit (0–160 psi), 2 ¹ / ₂ " NST



HK25

MUNICIPAL HAND TOOLS

Very handy to have around, our **HOSE HOOK** is a multi-purpose tool that carries hose rolls and fits up to 5" hose. It doubles as a wrench for rocker and pin lug fittings (up to 2¹/₂") as well as 4" and 5" storz fittings. It also opens foam bucket lids, drains hose, and holds doors open. Comes with a bracket for apparatus mounting too.

P/N	DESCRIPTION
HH1	Hose Hook



HH1



Designed for today's fire department connections, these popular **WRENCHES** cover a variety of sizes in both storz and threaded adapters (pin or rocker lugs).

P/N	DESCRIPTION
STW	Storz x Universal Spanner (Alum) Fits 4"-6" Storz & 1½"-3" Rocker Lugs
STH	Storz Spanner Wrench Holder
W570	Universal Spanner Wrench (Alum) Fits 1½"-3" Pin/Rocker Lugs
W580	Standard Hydrant/Spanner Wrench (Steel/Ductile Iron) Fits 1½"-6" Pin/Rocker Lugs
W575	Heavy-Duty Hydrant/Spanner Wrench (Steel/Ductile Iron) Fits 1½"-6" Pin/Rocker Lugs
K48	Hydrant/Spanner Wrench Holder (No Tools)
AFS	Folding Pocket Spanner Wrench (Plastic) Fits Pin/Rocker Lugs Thru 4"

RESCUE TOOLS include the **Res-Q-Rench**, which is five tools in one: universal spanner, pry tool, window punch, seat belt cutter, and gas shut-off. There's also the **Res-Q-Me** that shatters tempered glass and cuts through safety belts in seconds.

P/N	DESCRIPTION
RQR	Res-Q-Rench (Plastic) Fits 4", 5" Storz & 1½", 2½" Rocker Lugs
RST1	Res-Q-Me Tool

The **89 RESCUE TOOL**, from **Channellock®**, has a spanner wrench that works on storz and rocker lug couplings (up to 6"). There's also a tool steel punch to shatter safety glass, a pry bar for doors and windows, a gas shutoff, and hardened steel edges that easily shear through soft metal. And its narrow profile helps it work wonders in tight places.

P/N	DESCRIPTION
TL89	89 Rescue Tool

Our collection of municipal-grade **FIRE AXES** includes four different styles with or without pick heads and solid hickory or yellow fiberglass handles—all with 6 lb heads. Optional mounting bracket and hooks available separately.


P/N	DESCRIPTION
406M*	Pick Head Fire Axe w/ 36" Hickory Handle
406Y	Pick Head Fire Axe w/ 36" Fiberglass Handle
407M	Flat Head Fire Axe w/ 36" Hickory Handle
407Y	Flat Head Fire Axe w/ 34" Fiberglass Handle
AB408	Axe Bracket & Hook

*ACTUAL ITEM MAY DIFFER.

MUNICIPAL VALVES

Both the **Gated Wye** and **Swivel Gate MUNICIPAL VALVES** are engineered from lightweight cast aluminum with powder coated bodies and hard anodized extruded aluminum inlets/outlets for maximum performance and corrosion resistance. The **Gated Wye** also has powder coated handles with an orange peel finish for easy gripping, while the **Swivel Gate Valve** features a non-rising brass stem with aluminum hand crank for fast, trouble-free operation.

P/N	DESCRIPTION
9443	Swivel Gate Valve, 2½" NST(F) x 2½" NST(M)
9611	Gated Wye, 2½" NST(F) x 1½" NST(M) x 1½" NST(M)



Municipal Quality at an Industrial Price



SG3012

P45SV

Brooks' collection of **Viper FIRE FIGHTING NOZZLES** includes the very best municipal nozzles available. Offered in a variety of styles, sizes, and construction, these nozzles are the professional's choice for municipal and industrial applications.

Standard Features

- E-Lite aluminum construction with brass internal parts
- Fog-to-straight stream with a twist of the bumper
- Flushable without shutting down
- Full-time swivels and removable pistol grips
- Constant flow through fog and straight stream

P/N	DESCRIPTION
SG1560	Viper Select Gallonage, 1" NST 15, 30, 50, 60 gpm
SG3012	Viper Select Gallonage, 1 1/2" NST 30, 60, 95, 125 gpm
P45SV	Viper, Constant Gallonage, 1 1/2" NST 95 gpm



POK1448



DDPPOK9957



WBES45, WBES45FT

FOAM EDUCTORS

Some of **POK's** most popular and economical **IN-LINE EDUCTORS**, their **1400 Series** are easy to install, and feature a newly engineered metering knob for easy, economical dispersal of 0%–6% foam solutions. They're easy to maintain with a low-pressure drop. Eductors also come complete with 10' pick-up tube and an NST inlet.

P/N	DESCRIPTION
POK1448	1 1/2" Foam Eductor, 95 gpm
POK1444	1 1/2" Foam Eductor, 60–120 gpm

The **POK LOW EXPANSION FOAM NOZZLE** is made from aluminum for considerably lighter weight than its predecessor. Nozzle is only 8" long compared to the previous 24" and has a red **NITUFF™** finish. Provides excellent reach and penetration with an expansion ratio of 10.

P/N	DESCRIPTION
DDPPOK9957	1 1/2" Air ASP Foam Nozzle, NST, 95 gpm

BACKPACK EXTINGUISHING SYSTEM

The **Genfo-45 WILDLAND BACKPACK EXTINGUISHING SYSTEM** features a large 4 1/2 gal reservoir and internal baffle for a substantial, yet stable, transportable water supply. It also includes a double-action hand pump and a 40" x 1/4" bsp hose with a fully adjustable nozzle, a carry handle, and shoulder straps for easy transportation. Weighs 4 lbs empty and measures 25 1/2"H x 19 1/3"W x 1"D.

P/N	DESCRIPTION
WBES45	Genfo-45 Water Backpack
WBES45FT*	Foam Application Tube for Genfo-45

*SPECIAL ORDER

CHEMICAL

Brooks carries a wide selection of **FOAM** products to meet your specific needs. The **36AFFF** is all-synthetic film-forming foam, designed for use on water-soluble polar solvents and water-insoluble hydrocarbon flammable liquids. The **3AFFF** and **6AFFF** are synthetic aqueous film-forming foam concentrates, designed for use on non-polar hydrocarbon hazards.

NOTE: TFOAM is for live fire-training sessions only.

P/N	DESCRIPTION	SIZE
36AFFF	3% or 6% AR-AFFF Foam	5 gal Pail
3AFFF	3% AFFF Foam	5 gal Pail
6AFFF	6% AFFF Foam	5 gal Pail
TFOAM	3% or 6% AFFF Virtual Training Foam	5 gal Pail
AFOAM	Class A Foam	5 gal Pail



36AFFF



3AFFF



6AFFF



AFOAM

